

Razor sharp blade cleanly cuts heater hoses, fuel line hoses and any other type of flexible hose up to 1-1/4" diameter. The stainless steel blade is reversible for double the life. The pliers are made of glass-filled gray nylon for strength. Includes a locking hoop for safe storage. Overall length: 9-1/2".

UNIT PACKAGE: 1

Pack and other automotive electrical

connectors.

Quickly disconnects electrical connectors

without damage. Simply engage the tool tip

behind the connector locking clip and then pull

or push to disconnect. The tool is double-ended

to fit different access angles. Works on Weather

UNIT PACKAGE: 1






## 20902

Constant Tension Band (Flat Band) Hose Clamp Pliers

Removes and installs hose clamps (Auveco part numbers 18127 - 18132) on heater and radiator hoses. Tips screw in and out to fit all sizes of clamps. Ratcheting lock mechanism holds the clamp in an open position for easy removal and installation. Tips can be switched to accommodate different applications. Offset jaws allow access to hard-to-reach areas.

#### UNIT PACKAGE: 1



"O" Ring and Seal Pick

Quickly removes and installs "O" Rings and seals. Tips are angled for hard-to-reach areas typically found around brakes, air conditioning and transmissions. The tips are hardened to stay sharp. The handle is knurled for a sure grip. Overall Length: 8-3/4"


UNIT PACKAGE: 1

# 20904

Trim Panel Remover

Removes hard-to-reach interior door panels and headliner retainers. Remove inaccessible retainers by sliding the tool between the panel and the door. Engage the retainer head in the grooved head (on the side or front) of the tool and twist the handle to pop the retainer loose. Overall length: 11-1/2"


UNIT PACKAGE: 1



### **20905** Hood Prop

Unique 3-piece telescoping design allows a mechanic to hold open the hood in any desired position from 18-1/2" to 46-3/4". It can be used either in the front of the vehicle or on the side for better access to the engine compartment. Also great for body or repair work on doors, trunk lids and hatchbacks. Overall length: 18-1/2".

UNIT PACKAGE: 1






20906 Windshield Locking Strip Tool

This tool is used when replacing the windshield, rear glass or sliding rear glass on vehicles with locking strips. The unique design allows the tip to swivel 90 degrees in either direction to work where other tools can't. Just select the tip with the opening that most closely fits the locking strip and then feed the locking strip into the eyelet. Overall length: 8-1/4".

## UNIT PACKAGE: 1 20907



### Windshield Wiper Arm Remover

Makes wiper arm removal and replacement an easy job without damaging the vehicle finish. Simply place the "hook" under the arm base, lift and squeeze the wiper arm and tool handle together. The wiper arm lifts right off. Reverse the procedure to install a wiper arm. Overall length: 6-7/8".

UNIT PACKAGE: 1



